


Carga Fuerte
Muelles para troquel


Color Rojo
Código de color según ISO



Da mm.	Di mm.	Lo mm.	Nº de referencia para pedido	Carga a.. 15% de Deflexión		Carga a...20% de Deflexión		Carga a... 25% de Deflexión		Carga a 1 mm. Deflex. (N)	Carga y deflexión aprox.. Altura compacta	
				N	mm	N	mm	N	mm		N	mm
10	5	25	H-100	82.9	3.8	110.5	5.0	138.1	6.3	22.1	165.8	7.5
		32	H-100-A	84.0	4.8	112.0	6.4	140.0	8.0	17.5	168.0	9.6
		38	H-101	97.5	5.7	130.0	7.6	162.5	9.5	17.1	194.9	11.4
		44	H-101-A	99.0	6.6	132.0	8.8	165.0	11.0	15.0	198.0	13.2
		51	H-102	97.9	7.7	130.6	10.2	163.2	12.8	12.8	195.8	15.3
		64	H-103	102.7	9.6	137.0	12.9	171.2	16.0	10.7	205.4	19.2
		76	H-104	85.5	11.4	114.0	15.2	142.5	19.0	7.5	171.0	22.8
305	H-105	96.1	45.8	128.1	61.0	160.1	76.3	2.1	192.2	91.5		
12.5	6.3	25	H-110	157.9	3.8	210.5	5.0	263.1	6.3	42.1	315.8	7.5
		32	H-110-A	159.4	4.8	212.5	6.4	265.6	8.0	33.2	318.7	9.6
		38	H-111	167.0	5.7	222.7	7.6	278.4	9.5	29.3	334.0	11.4
		44	H-111-A	162.4	6.6	216.5	8.8	270.6	11.0	24.6	324.7	13.2
		51	H-112	149.9	7.7	199.9	10.2	249.9	12.8	19.6	299.9	15.3
		64	H-113	144.0	9.6	192.0	12.8	240.0	16.0	15.0	288.0	19.2
		76	H-114	150.0	11.4	200.6	15.2	250.8	19.0	13.2	301.0	22.8
89	H-115	152.2	13.4	202.9	17.8	253.7	22.3	11.4	304.4	26.7		
305	H-116	128.1	45.8	170.8	61.0	213.5	76.3	2.8	256.2	91.5		
16	8	25	H-120	283.9	3.8	378.5	5.0	473.1	6.3	75.7	567.8	7.5
		32	H-120-A	253.4	4.8	337.9	6.4	422.4	8.0	52.8	506.9	9.6
		38	H-121	276.5	5.7	368.6	7.6	460.8	9.5	48.5	552.9	11.4
		44	H-121-A	282.5	6.6	376.6	8.8	470.8	11.0	42.8	565.0	13.2
		51	H-122	283.8	7.7	378.4	10.2	473.0	12.8	37.1	567.6	15.3
		64	H-123	290.9	9.6	387.8	12.8	484.8	16.0	30.3	581.8	19.2
		76	H-124	293.0	11.4	390.6	15.2	488.3	19.0	25.7	586.0	22.8
89	H-125	289.7	13.4	386.3	17.8	482.8	22.3	21.7	579.4	26.7		
102	H-126	295.3	15.3	393.7	20.4	492.2	25.5	19.3	590.6	30.6		
305	H-127	324.8	45.8	433.1	61.0	541.4	76.3	7.1	649.7	91.5		
20	10	25	H-1	810.0	3.8	1080.0	5.0	1350.0	6.3	216.0	1620.0	7.5
		32	H-1-A	806.4	4.8	1075.2	6.4	1344.0	8.0	168.0	1612.8	9.6
		38	H-2	735.3	5.7	980.4	7.6	1225.5	9.5	129.0	1419.0	11.0
		44	H-2-A	739.2	6.6	985.6	8.8	1232.0	11.0	112.0	1456.0	13.0
		51	H-3	719.1	7.7	958.8	10.2	1198.5	12.8	94.0	1410.0	15.0
		64	H-4	692.2	9.6	922.9	12.8	1153.0	16.0	72.1	1369.9	19.0
		76	H-5	680.6	11.4	907.4	15.2	1134.3	19.0	59.7	1373.1	23.0
		89	H-6	674.2	13.4	898.8	17.8	1123.6	22.3	50.5	1363.5	27.0
		102	H-7	676.3	15.3	901.7	20.4	1127.1	25.5	44.2	1370.2	31.0
		115	H-8	662.4	17.3	883.2	23.0	1104.0	28.8	38.4	1344.0	35.0
		127	H-9	649.6	19.1	866.1	25.4	1082.7	31.8	34.1	1295.8	38.0
139	H-10	646.4	20.9	861.8	27.8	1077.3	34.8	31.0	1302.0	42.0		
152	H-11	643.0	22.8	857.3	30.4	1071.6	38.0	28.2	1297.2	46.0		
305	H-11-A	686.3	45.8	915.0	61.0	1143.8	76.3	15.0	1365.0	91.0		
25	12.5	25	H-12	1406.3	3.8	1875.8	5.0	2343.8	6.3	375.0	2812.5	7.5
		32	H-12-A	1425.6	4.8	1900.8	6.4	2376.0	8.0	297.0	2851.2	9.6
		38	H-13	1248.3	5.7	1664.4	7.6	2080.5	9.5	219.0	2409.0	11.0
		44	H-13-A	1234.4	6.6	1645.6	8.8	2057.0	11.0	187.0	2431.0	13.0
		51	H-14	1193.4	7.7	1591.2	10.2	1989.0	12.9	156.0	2340.0	15.0
		64	H-15	1180.8	9.6	1574.4	12.8	1968.0	16.0	123.0	2337.0	19.0
		76	H-16	1128.6	11.4	1504.8	15.2	1881.0	19.0	99.0	2277.0	23.0
		89	H-17	1121.4	13.4	1495.2	17.8	1869.0	22.3	84.0	2268.0	27.0
		102	H-18	1116.9	15.3	1498.0	20.4	1861.5	25.5	73.0	2263.0	31.0
		115	H-19	1121.3	17.3	1495.0	23.0	1868.0	28.8	65.0	2275.0	35.0
		127	H-20	1099.2	19.1	1465.6	25.4	1832.0	31.8	57.7	2192.6	38.0
		139	H-20-A	1098.0	20.9	1465.1	27.8	1831.3	34.8	52.7	2213.4	42.0
		152	H-21	1089.8	22.8	1453.1	30.4	1816.4	38.0	47.8	2198.8	46.0
		178	H-21-A	1094.7	26.7	1459.6	35.6	1824.5	44.5	41.0	2173.0	53.0
203	H-22	1090.1	30.5	1453.5	40.6	1816.9	50.8	35.8	2183.8	61.0		
305	H-22-A	1047.7	45.8	1396.9	61.0	1746.1	76.3	22.9	2983.9	91.0		

Carga Fuerte
Muelles para troquel

Color Rojo
Código de color según ISO



Da mm.	Di mm.	Lo mm.	Nº de referencia para pedido	Carga a.. 15% de Deflexión		Carga a...20% de Deflexión		Carga a... 25% de Deflexión		Carga a 1 mm. Deflex. (N)	Carga y deflexión aprox.. Altura compacta	
				N	mm	N	mm	N	mm		N	mm
32	16	38	H-36	2211.6	5.7	2948.8	7.6	3683.0	9.5	388.0	4268.0	11.0
		44	H-36-A	2138.4	6.6	2851.2	8.8	3564.0	11.0	324.0	4212.0	13.0
		51	H-37	2080.8	7.7	2774.4	10.2	3468.0	12.8	272.0	4080.0	15.0
		64	H-38	2035.2	9.6	2713.6	12.8	3392.0	16.0	212.0	4028.0	19.0
		76	H-39	1960.8	11.4	2614.4	15.2	3268.0	19.0	172.0	3956.0	23.0
		89	H-40	1882.4	13.4	2509.0	17.8	3137.3	22.3	141.0	3807.0	27.0
		102	H-41	1866.6	15.3	2488.8	20.4	3111.0	25.5	122.0	3782.0	31.0
		115	H-42	1845.8	17.3	2461.0	23.0	3076.3	28.8	107.0	3745.0	35.0
		127	H-43	1771.7	19.1	2362.2	25.4	2952.8	31.8	93.0	3534.0	38.0
		139	H-44	1793.1	20.9	2390.8	27.8	2988.5	34.8	86.0	3612.0	42.0
		152	H-45	1778.4	22.8	2371.2	30.4	2964.0	38.0	78.0	3588.0	46.0
		178	H-46	1794.2	26.7	2392.0	35.6	2990.4	44.5	67.2	3561.3	53.0
203	H-47	1799.6	30.5	2399.0	40.6	2999.3	50.8	59.1	3605.1	61.0		
254	H-48	1767.8	38.1	2357.1	50.8	2946.4	63.5	46.4	3526.4	76.0		
305	H-48-A	1738.5	45.8	2318.0	61.0	2897.0	76.3	38.0	3458.0	91.0		
40	20	51	H-49	2677.5	7.7	3570.0	10.2	4462.5	12.8	350.0	5250.0	15.0
		64	H-50	2583.4	9.6	3443.2	12.8	4304.0	16.0	269.0	5111.0	19.0
		76	H-51	2496.6	11.4	3328.8	15.2	4161.0	19.0	219.0	5037.0	23.0
		89	H-52	2536.5	13.4	3382.0	17.8	4227.5	22.3	190.0	5130.0	27.0
		102	H-53	2493.9	15.3	3325.5	20.4	4156.5	25.5	163.0	5053.0	31.0
		115	H-54	2449.5	17.3	3266.0	23.0	4082.5	28.8	142.0	4970.0	35.0
		127	H-55	2438.8	19.1	3251.1	25.4	4064.0	31.8	128.0	4864.0	38.0
		139	H-55-A	2397.8	20.9	3197.0	27.8	3996.3	34.8	115.0	4830.0	42.0
		152	H-56	2394.0	22.8	3192.0	30.4	3990.0	38.0	105.0	4830.0	46.0
		178	H-56-A	2376.3	26.7	3168.4	35.6	3960.5	44.5	89.0	4717.0	53.0
		203	H-57	2344.7	30.5	3126.2	40.6	3907.8	50.8	77.0	4697.0	61.0
		254	H-58	2324.1	38.1	3098.8	50.8	3873.5	63.5	61.0	4636.0	76.0
305	H-58-A	2333.3	45.8	3111.0	61.0	3888.8	76.3	51.0	4641.0	91.0		
50	25	64	H-70	3964.8	9.6	5286.4	12.8	6608.0	16.0	413.0	7847.0	19.0
		76	H-71	3864.6	11.4	5152.8	15.2	6441.0	19.0	339.0	7797.0	23.0
		89	H-72	3844.8	13.4	5126.4	17.8	6408.0	22.3	288.0	7776.0	27.0
		102	H-73	3748.5	15.3	4998.0	20.4	6247.5	25.5	245.0	7595.0	31.0
		115	H-74	3708.8	17.3	4945.0	23.0	6181.3	28.8	215.0	7525.0	35.0
		127	H-75	3657.6	19.1	4876.4	25.4	6096.0	31.8	192.0	7296.0	38.0
		139	H-76	3502.8	20.9	4670.4	27.8	5838.0	34.8	168.0	7056.0	42.0
		152	H-77	3511.2	22.8	4681.6	30.4	5852.0	38.0	154.0	7084.0	46.0
		178	H-79	3577.8	26.7	4770.4	35.6	5963.0	44.5	134.0	7102.0	53.0
		203	H-80	3562.7	30.5	4750.2	40.6	5937.8	50.8	117.0	7137.0	61.0
		254	H-82	3390.9	38.1	4521.1	50.8	5651.1	63.5	89.0	6764.0	76.0
		305	H-83	3339.8	45.9	4453.0	61.0	5566.3	76.3	73.0	6643.0	91.0