

RECAMBIOS PARA ELECTROEROSION - FANUC


GUIA HILO DIAMANTE



ERF0101 ERF0103 ERF0104T ERF0107 ERF0110 ERF0112
 ERF0102 ERF0104 ERF0105 ERF0108 ERF0111 ERF0113

REF.	DESCRIPCION	REF. FABRICANTE
ERF0101	O. P. Q. R. T. W Superior	A290-8021-X765 ~ X767
ERF0102	O. P. Q. R. T. W Inferior	A290-8021-X775 ~ X777
ERF0103	O. P. Q. R. T. W. AF Superior	A290-8032-X775 ~ X777
ERF0104	O. P. Q. R. T. W. AF Inferior	A290-8032-X735 ~ X737
ERF0104T	O. P. Q. R. T. W. Inferior - Para Conicidades	A290-8032-X765 ~ X769
ERF0105	K. M. N. L AF Inferior	A290-8018-X440 ~ X446
ERF0107	K. M. N. L AF Superior	A290-8018-X460 ~ X466
ERF0108	K. M. N. L Superior e Inferior 60C	A290-8011-X751 ~ X755
ERF0110	α-OA,OB Superior	A290-8101-X730 ~ X736
ERF0111	α-OA,OB Inferior	A290-8101-X740 ~ X746
ERF0112	α-1A,1B,1C Superior	A290-8092-X702 ~ X708
ERF0113	α-1A,1B,1C Inferior	A290-8092-X712 ~ X718
ERF0112T	α-1A,1B,1C Superior - Para Conicidades	A290-8104-X705 ~ X706
ERF0113T	α-1A,1B,1C Inferior - Para Conicidades	A290-8104-X715 ~ X716

CONTACTOS



ERF0010 ERF0020 ERF0030 ERF0040 ERF0050 ERF0060 ERF0070

REF.	DESCRIPCION	REF. FABRICANTE
ERF0010	H. L Inferior Ø 25 mm.	A97L-0001-0664
ERF0020	O. P. Q. R. T. W Inferior y Superior Ø 16 mm.	A97L-0126-0001
ERF0030	K. N. M. Inferior y Superior	A290-8008-X107
ERF0040	W1. 2. 3. 4. AF Inferior y Superior Ø 16 mm.	A290-8032-Z882
ERF0050	α-0A,0B,1A,1B Inferior y Superior	A290-8101-X750
ERF0060	α-0C,1C inferior y superior de 23x12x4	A290-8110-X750
ERF0080	α-0C,1C inferior y superior de 30x12x4	A290-8110-X750
ERF0070	W-0 Superior	A290-8048-X759



RECAMBIOS PARA ELECTROEROSION - FANUC

ELEMENTOS DE CONEXIÓN



REF.	DESCRIPCION	REF. FABRICANTE
ERF1200	Preguia	A290-8110-Y726
ERF1210	Preguia	A290-8110-X774
ERF1220	Guía de Rubí	A290-8101-X753
ERF1230	Hilera Guía	A290-8037-X645
ERF1240	Pre hilera guía	A290-8110-Y774
ERF1250-1	Boquilla Pulverizadora (1.5)	A290-8102-Y756
ERF1250-2	Boquilla Pulverizadora (0.5)	A290-8102-Y757
ERF3010	Placa de aislamiento L Inferior	A290-8005-X722
ERF3020	Placa de aislamiento O. P. Q. R. T Inferior	A290-8021-X709
ERF3030	Placa de aislamiento W Series Inferior	A290-8032-X334
ERF3040	Placa de aislamiento O. P. Q. R. W Superior	A290-8021-X602
ERF3050	Placa de aislamiento α- Series Superior	A290-8101-X509
ERF3060	Placa de aislamiento α- Series Inferior	A290-8101-X312
ERF3070	Base guía	A290-8101-X761
ERF4000	Rodamiento Ø 12 x Ø 6 x 4 mm.	A97L-0001-0670/1260Z
ERF4010	Pre rodillo guía hilo Ø 49 X 6.5 X 6	A290-8004-X713
ERF4020	Pre rodillo guía hilo Ø 64 X 6.5 X 6	A290-8006-X707
ERF4030	Base guía (Acero Inox.)	A290-8103-X762
ERF4040	Guía hilo (Acero Inox.)	A290-8110-X770
ERF4050	Guía (Plástico)	A290-8101-X394
ERF4060	Rodillo de sujeción (Cerámico) para α- A&B	A290-8101-Z382
ERF4070	Rodillo de alimentación (Cerámico) para α- A&B	A290-8101-Z383
ERF4080	Guía hilo	A290-8102-X393
ERF4090	Zapata de freno	A290-8101-X371
ERF4100	Rodillo de sujeción (Cerámico) para α- C	A290-8110-X3 82
ERF4110	Rodillo de alimentación (Cerámico) para α- C	A290-8110-X383
ERF4120	Base guía -INOXIDABLE -para α- C	A290-8110-Y/X762
ERF5010	Rodamiento Ø 22 x Ø 8 x 7 (valona Ø 25,- mm.)	A97L-0001-0670/DRF2280H
ERF5020	Rodamiento Ø 28 x Ø 12 x 8 mm.	A97L-0201-0369/6001LLU
ERF5030	Rodamiento Ø 40 x Ø17 x 12 mm.	A97L-0201-0369/6203LLU



RECAMBIOS PARA ELECTROEROSION - FANUC

BOQUILLAS



REF.	DESCRIPCION	REF. FABRICANTE
ERF0201	O. P. Q. R. W. Inferior y superior Ø 3mm, 4mm y 5.5mm	A290-8021-Y745
ERF0202	O. P. Q. R. W. T Inferior Ø 3mm, 4mm y 5.5mm	
ERF0204	W-1. 2. 3. 4. AF Inferior Ø 5.5mm	A290-8037-X879
ERF0205	W-1. 2. 3. 4. AF Superior Ø 5,5mm	A290-8032-Y611
ERF0206	Protector boquillas ERF 2010 y ERF 2020	
ERF0206-1	Protector boquillas ERF 2010 y ERF 2020 (acero inoxidable)	
ERF0207	W-0 Ø 7. mm.	A290-8048-X771
ERF0208	W-0 Ø 7. mm.	A290-8048-X772
ERF0209	α-OA,OB Manual Superior Ø 6,5 mm.	A290-8101-X776
ERF0210	α-OA,OB,OC Manual Soporte boquilla inferior	A290-8101-X755
ERF0211	α-OA,OB,OC Manual Inferior Ø 6.5 mm.	A290-8101-X756
ERF0212	α-1A, 1B,1C AWF Superior Ø 6.5 mm.	A290-8102-X751
ERF0213	α-1A, 1B,1C AWF Inferior Ø 6.5 mm.	A290-8102-X771
ERF0214	α-1A, 1B,1C AWF Superior Ø 4. mm.	A290-8102-X775
ERF0215	α-1A, 1B,1C AWF Inferior Ø 4. mm.	A290-8102-X774
ERF0216	α-1A, 1B,1C AWF Superior Ø 12. mm.	A290-8102-X752
ERF0217	α-1A, 1B,1C AWF Inferior Ø 12. mm.	A290-8102-X772
ERF0218	α-OC,1C Manual Superior Ø 6.5 mm.	A290-8109-X776